



Mazda 626

- disassembly of an engine

Content

Introduction	4
The assignment	6
Disassembly of engine	8
Mould making	12
Casting	13
Soldering a wire frame	14
Digital drawing	16
Making of plywood box	18
Exhibition	20
Results	22

Introduction

Years of teaching have revealed coherence between student's ability to reflect upon abstract and theoretical question on one hand, and on the other to embed these reflections in architectural solutions. In other words, clarity in students work is often a result of student's ability to think clear.

In the exercise "Mazda 626" the coherence between thinking and doing in architectural practice has been pursued. Thus the primary aim has been to emphasize precision in the making of architectural objects and hereby strengthen the student's capacity for reflection.

Secondary the aim has been to introduce students to a generic study process. This has been the result of a general an increasing diversity in the methods used in the development of architectural solutions, research and projects. Generic methods have proved their usefulness in architectural research and during the past two decades this practice has been applied generally in the development of architectural projects.

Finally the aim has been to introduce to the students a series of techniques necessary for the development of architectural projects. These techniques has been; architectural sketching and drawing, digital techniques (Sketch-up, Photoshop, In-design) model making (casting plaster, soldering wire frames, woodworking).

Assistant Professor, Ph.D, Architect Charlotte Bundgaard
Tutor, Architect Ole Egholm Pedersen
Associate Professor, Ph.D, Architect Anders Gammelgaard Nielsen



The assignment

Title:

Mazda 626

Aim:

Emphasize precision in the making of architectural objects and hereby strengthen the clarity in student's reflection.

Introduce a generic study process

Introduce a series of techniques necessary for the development of architectural projects.

Description:

An engine from a Mazda 626 is disassembled and analysed in terms of its functionality.

The components of the engine are all washed and cleaned from oil stains with engine detergents

The components are distributed among the students (one component for each student)

Each component is placed on a sheet of cardboard. The component is encapsulated by a covering of cardboard thus forming a mould. The covering has to be formed orthogonally and in relation to the component

A frame of cardboard is placed orthogonally around the encapsulated component. A distance of min. 20mm has to be kept between the frame and the covering. The frame has to be min. 50mm higher than the covering.

The mould is reinforced with extra cardboard and cast with plaster.

The cast object is removed from the mould and the engine component is replaced in the cavity of the plaster object.

Using the technique of soldering, a wire frame identical to the outline of the cast object is formed in steel wire.

The engine component, the cast object and the wire frame is arranged an integrated composition. Drawings of the composition are made using hand drawing and digital techniques.

A box of plywood is made to hold the composition.

All compositions are exhibited at the School of Architecture, Aarhus





Disassembly of engine


This page, opposite page

The engine is disassembled and the individual components are cleaned with detergents






Crankshaft after cleaning



The interior of the engine, showing the crankshaft



Disassembling the engine




*This page
The engine component
is encapsulated in
cardboard, thus forming
a mould. The covering
is designed orthogo-
nally, in relation to the
component*








*This page
Casting the mould in plaster*



*This page
Using the technique of
soldering, a wire frame
identical to the outline
of the cast object is
formed in steel wire.*




*This page
Adjusting the wire
frame according
to the measures
of the cast plas-
ter object*





This page/ opposite page

Drawing the plaster/wire object in Skech- Up



*This page/ opposite page
Making a plywood box for the plaster/wire
object. During the process a series of woodwork
machines are to be operated (circular saw, router
etc.)*




















Exhibition







*This page
Opening of the exhibition*









previous pages

Various compositions of cast plaster objects, engine parts and wire frames






*This page/ opposite page
Detail, Various objects*



Composition



Composition



Detail, composition

*Opposite page
Detail, composition*

